

VOYAGER/VMm 2.0

VoyagerVMm 2.0 is an ultra-slim compute module powered by the AMD Ryzen™ embedded V2000 series processor.

VoyagerVMm 2.0 delivers the compute performance to run applications such as virtual desktop infrastructure, machine vision, object detection, edge inference, or networking in the smallest form factor in a highly efficient power envelope.



KEY FEATURES

- Built on AMD Ryzen V2516 (Zen 2 x86 CPU with Radeon™ Vega GPU)
- Integrated security (on-chip AMD Secure Processor)
- VIK+ SED removable NVMe storage device
- High power efficiencies (< 15W)
- 4K HD video support at 60Hz
- Multithread support for VDI and cloud-based services
- Passively cooled, ideal for low noise environments
- Long life cycle - AMD Ryzen V2516 in production up to 2030
- Compatible with Voyager m-Series devices and chassis



SECURE



PORTABLE



RUGGED

EMEA

Klas,
4th Floor, One Kilmainham Square,
Inchicore Road, Kilmainham,
Dublin 8, Ireland
DO8 ETIW.
Tel: +353 1 6624270

US

Klas Government
450 Springpark Place,
Suite 1200,
Herndon, VA 20170
Tel: +1 571-375-2500

www.klasgroup.com

KLAS

Specifications



PHYSICAL

- 7.4" W x 5.7" L x 1.0" H (188 mm x 145.2mm x 26 mm)
- 2.2 lb / 1.0 kg

ELECTRICAL

- DC input (power):
 - 10-18 VDC (15 W)

CONSTRUCTION

- Aluminum chassis
- Passive cooling

OPERATING TEMPERATURE

- -26° to 122° F (-32° to 50° C)

STORAGE TEMPERATURE

- -40° to 185° F (-40° to 85° C)

CPU /GPU

- AMD Ryzen™ Embedded V2516 with Radeon™ Graphics
 - CPU base frequency: 2.1 GHz
 - No. of cores: 6
 - No. of threads: 12
 - RAM: 16 GB
 - TPM: 2.0
- AMD Radeon™ Graphics
 - GPU max frequency: 1.5 GHz
 - GPU CU: 6
 - HW video encode/decode: Up to 4 K @ 60Hz

STORAGE

- 1x1 TB VIK+ (removable NVMe-based SED)

NETWORKING

- 6 x 2.5 Gbps RJ45 interfaces (incl. 2 x PoE)

MANAGEMENT

- BIOS & hypervisor CLI over console and DisplayPort

SECURITY

- AMD Secure Processor
- Secure Boot
- Memory Guard

COMPLIANCE

Compatible with:

- MIL-STD-810
- MIL-STD-461
- FCC Part 15 B
- CE
- RoHS, REACH



VoyagerVMm 2.0 rear Ethernet ports and battery or PSU port.