VOYAGER 2 Slim

Voyager 2 Slim is a two-slot, rugged backplane chassis supporting two Voyager modules in a backpack or briefcase form factor.

Battery-backed power is provided by Voyager 1 and the system is also ideal for vehicle installs with the addition of Voyager Module Battery Bracket (VMBB) or Voyager Module Adapter (KVMA).

Optional mounts for a HAIPE device or Cradlepoint IBR900 above each slot are also available.



KEY FEATURES

- Two slot Voyager chassis with modules housed sideby-side for reduced size and weight. Ideal for rucksack installation or mounting in locations where space is at a premium.
- Space for one Voyager network module or two Voyager m-Series modules per slot.
- Standard depth or full depth options available where the standard depth houses a Voyager module without a Voyager I attached and the full depth houses a Voyager module plus Voyager I attached.
- Accepts any combination of Voyager 1, VMBB, or KVMA power options in the two rear slots. Power is passed through to the Voyager modules.

- Option to attach HAIPE brackets above each module slot, e.g. KG250X, KG-250XS, KG-175 Nano.
- The HAIPE bracket can also be used to attach a Cradlepoint IBR900.
- Flexible mounting options with mounting holes in the sides, top, and bottom of the chassis.







Rugged



Low Power



Voyager 2 Slim

ORDERING INFORMATION

- Standard:

 KLAS-VOY-CHAS2SS
- Full depth:

 KLAS-VOY-CHAS2SF
- HAIPE and rackmount racket options available for both standard and full-depth chassis.

SIZE

- **Standard:** 15.5" W x 9.7" D x 2.3" H (395 mm W x 246 mm D x 58 mm H)
- Full depth:15.5" W x 11.3" D x 2.3" H (395 mm W x 287 mm D x 58 mm H)

WEIGHT

- Standard: 2.2 lb (1.0 kg)
- Full depth: 2.5 lb (1.1 kg)

CONSTRUCTION

 Aluminum construction with milled plastic central support

INPUT VOLTAGE RANGE

Input power for each module slot is provided by any of:

- Voyager1(KLAS-VOY-CHAS1-R8)
- Voyager Module Battery Bracket (KLAS-VOY-MBB)
- Voyager Module Adapter (KLAS-VOY-KVMA)







